




**SouthEast Eye Physicians & Surgeons**

Raffi Karapetian, D.O.

V.Stephen Slana, M.D.



How to use an Amsler grid:

1. Hold the grid at a comfortable reading distance (generally, about 12-14 inches away).  
Wear your reading glasses if you normally use them.
2. Cover one eye and focus on the black dot in the middle of the grid.
3. Cover the other eye and repeat the test. If the lines appear to be wavy, dim, irregular or fuzzy, schedule an eye exam immediately.


**THIS TEST DOES NOT REPLACE REGULAR EYE EXAMS.**



**SouthEast Eye Physicians & Surgeons**

Raffi Karapetian, D.O.

V.Stephen Slana, M.D.



En Español:

1. Sostenga esta lámina (Cuadrícula de Amsler) a una distancia de lectura cómoda (generalmente, entre 12 a 14 pulgadas de distancia). Póngase anteojos de lectura si normalmente los utiliza.
2. Cúbrase un ojo y enfóquese en el “punto negro” del centro de la cuadrícula.
3. Cúbrase el otro ojo y repita la prueba. Si las líneas aparecen irregulares, tenues, onduladas o borrosas, haga una cita para realizarse un examen ocular de inmediato.

**Esta prueba no pretende reemplazar los exámenes oculares regulares.**